


# Technical Data Sheet

## SUNXOL HQEE-L

### Description



Chemical Name Hydroxyethoxy-1-hydroxyethylbenzendiether  
CAS # 849677-06-1

Formula  $C_{10}H_{14}O_5$   
Mol. wt. 214.22

### Specifications

Item	Specification
Appearance	Colorless or light yellow transparent liquid
Hydroxyl value (mgKOH/g)	$480 \pm 10$
Water content %	$\leq 0.2$
PH value	6.4 ~ 6.6

### Applications

As a chain extender, HQEE-L is mainly used to cure TDI / MDI systems PU products like PU adhesives, coatings, sealants, elastomers, PU foam, spandex and sports ground, etc. HQEE-L is especially suitable for medium hardness products

### Delivery & Storage

Package Net 20kg drum

Storage It should be stored in a dry and ventilated place. It is can be kept for up to 24 months. This product is moisture sensitive. Once opened, containers should be filled with Nitrogen, if they are to be stored for a period of time.